#### SAFETY DATA SHEET

## CHARBONNEL MIXTION A DORER 3 HEURES / 3H GOLD SIZE

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name CHARBONNEL MIXTION A DORER 3 HEURES / 3H GOLD SIZE

Product number 63682

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive for gilding

1.3. Details of the supplier of the safety data sheet

ColArt International SA Supplier

5 Rue Rene Panhard

Z.I.Nord

72021 Le Mans Cedex 2 +33 2 43 83 83 00

Contact person Jon Lloyd - Group Regulatory Affairs Manager +44 (0)2084243224; j.lloyd@colart.co.uk

1.4. Emergency telephone number

**Emergency telephone** 33 (0)2 43 83 83 00 This number is only available during office hours.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification

## Physical hazards

Flam. Liq. 3 - H226

### Health hazards

Elicitation (Resp. Sens.) Elicitation (Skin Sens.) STOT SE 3 - H336 STOT RE 1 - H372

# **Environmental hazards**

Aquatic Chronic 3 - H412

# Classification (67/548/EEC or 1999/45/EC)

R10,R52/53,R66,R67.

## 2.2. Label elements

## **Pictogram**





Danger



# Signal word

**Hazard statements** 

EUH208 Contains PHTHALIC ANHYDRIDE. May produce an allergic reaction. H372 Causes damage to organs through prolonged or repeated exposure.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapour/spray.

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

### Supplemental label information

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains

 $\mbox{Hydrocarbons, C9-C11, < 2\% aromatics, SOLVENT NAPHTHA (PETROLEUM), MEDIUM } \\$ 

ALIPH.; STRAIGHT RUN KEROSINE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

Hydrocarbons, C9-C11, < 2% aromatics 30-60%

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn;R65. R10,R66,R67.

Asp. Tox. 1 - H304 STOT SE 3 - H336

## SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPH.; STRAIGHT RUN KEROSINE

\_\_\_\_\_\_

10-30%

**CAS number:** 64742-88-7 **EC number:** 265-191-7

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn;R65. N;R51/53. R66,R10.

STOT RE 1 - H372 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411

2, Ethylhexanic acid, zirconium salt	<1%
<b>CAS number:</b> 22464-99-9 <b>EC number:</b> 245-018-1	
Classification	Classification (67/548/EEC or 1999/45/EC)
Repr. 2 - H361d	Xi;R38.

PHTHALIC ANHYDRIDE <1%

**CAS number:** 85-44-9 **EC number:** 201-607-5

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xn;R22 R42/43 Xi;R37/38,R41

Eye Dam. 1 - H318 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Acute Tox. 4 - H302 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** The product contains organic solvents.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation

Remove affected person from source of contamination. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

#### Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Give plenty of water to drink. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention immediately.

## Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

## Eye contact

Remove any contact lenses and open eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes and get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

#### Skin contact

Prolonged contact may cause redness, irritation and dry skin.

## 4.3. Indication of any immediate medical attention and special treatment needed

### Notes for the doctor

No specific recommendations.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Extinguish with the following media: Foam. Dry chemicals, sand, dolomite etc.

### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### 5.3. Advice for firefighters

#### Protective actions during firefighting

Avoid breathing fire gases or vapours. Cool containers exposed to flames with water until well after the fire is out. Control runoff water by containing and keeping it out of sewers and watercourses.

### Special protective equipment for firefighters

Use protective equipment appropriate for surrounding materials.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes.

### 6.2. Environmental precautions

### **Environmental precautions**

Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

## 6.4. Reference to other sections

## Reference to other sections

For personal protection, see Section 8.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

### Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Provide adequate ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store in a cool and well-ventilated place. Store in tightly-closed, original container. Keep container dry.

# 7.3. Specific end use(s)

## Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

# Occupational exposure limits

### PHTHALIC ANHYDRIDE

Long-term exposure limit (8-hour TWA): MEL 4 mg/m3(Sen) Short-term exposure limit (15-minute): MEL 12 mg/m3(Sen)

### Zinc Oxide: dust

Zinc Oxide: dust

### 8.2. Exposure controls

### Protective equipment





### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

### Eye/face protection

The following protection should be worn: Chemical splash goggles.

## Hand protection

Use protective gloves.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

#### Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

### **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

#### **Appearance**

Liquid

### Colour

Light (or pale).

#### Odour

Characteristic.

## Нα

Not applicable. Not applicable.

## Melting point

No information available.

### Initial boiling point and range

>150°C @ 760 mm Hg

### Flash point

38°C CC (Closed cup).

#### **Evaporation rate**

No information available.

# **Evaporation factor**

No information available.

# Upper/lower flammability or explosive limits

No information available. ::

## Vapour pressure

No information available.

## Vapour density

No information available.

### Relative density

0.9 @ 20°C

# Solubility(ies)

Not applicable. Insoluble in water

# Auto-ignition temperature

250°C

#### Viscosity

1.5 10-4 mPas @ 40°C

### 9.2. Other information

#### Other information

Not determined.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

### Stability

Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Not determined.

### 10.4. Conditions to avoid

Avoid contact with the following materials: Acids. Oxidising agents.

## 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity - dermal

Not determined.

### Acute toxicity - inhalation

Not determined.

## Inhalation

Vapours may irritate throat/respiratory system. Symptoms following overexposure may include the following: Headache. Dizziness. Drowsiness.

# Ingestion

Liquid irritates mucous membranes and may cause abdominal pain if swallowed.

## Skin contact

Product has a defatting effect on skin. May cause allergic contact eczema. Prolonged or repeated exposure may cause severe irritation.

## Eye contact

May cause severe eye irritation.

## **Target organs**

Skin Eyes Respiratory system, lungs

## **SECTION 12: Ecological Information**

### **Ecotoxicity**

Dangerous for the environment. May cause long-term adverse effects in the aquatic environment.

# 12.1. Toxicity

### Acute toxicity - fish

Not determined.

## Acute toxicity - aquatic invertebrates

Not determined.

## Acute toxicity - aquatic plants

Not determined.

### Acute toxicity - microorganisms

Not determined.

### 12.2. Persistence and degradability

### Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available on bioaccumulation.

## 12.4. Mobility in soil

### Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Not relevant.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

# **SECTION 14: Transport information**

## 14.1. UN number

UN No. (ADR/RID) 1263 UN No. (IMDG) 1263 UN No. (ICAO) 1263

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

PAINT RELATED MATERIAL

Proper shipping name

(IMDG)

PAINT RELATED MATERIAL

Proper shipping name

(ICAO)

PAINT RELATED MATERIAL

Proper shipping name (ADN) PAINT RELATED MATERIAL

## 14.3. Transport hazard class(es)

ADR/RID class 3
ADR/RID label 3
IMDG class 3

Revision date: 03/03/2015 Revision: 2 Supersedes date: 18/02/2015

# CHARBONNEL MIXTION A DORER 3 HEURES / 3H GOLD SIZE

ICAO class/division

Transport labels

## 14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

3

No.

#### 14.6. Special precautions for user

Tunnel restriction code (D/E)

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** legislation

Dangerous Substances Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### Water hazard classification

2

# 15.2. Chemical safety assessment

# SECTION 16: Other information

**Revision date** HS&E Manager. 03/03/2015

Revision 2

Supersedes date 18/02/2015

Risk phrases in full

R10 Flammable.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

# Hazard statements in full

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child if swallowed.

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains PHTHALIC ANHYDRIDE. May produce an allergic reaction.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.