## SAFETY DATA SHEET



in acc. with Regulation (EU) No. 453/2010 Revision Date: 08.010.2015 Replace Vers. 06.07.2012

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 1/10

#### SECTION 1: IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1. Product identifier

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised again

Relevant identified uses of the substance or mixture:

Industry sector: Industrial Performance Chemicals

Paints, lacquers and varnishes industry

Polymers industry Printing Inks Industry

Type of use: Colourant preparation

#### 1.3. Details of the supplier of the safety data sheet

Identification of the company:

MIXOL-PRODUKTE Diebold GmbH Carl-Zeiss-Str. 17-19 73230 Kirchheim/Teck

Phone: 0049 / 7021 / 950090 Fax: 0049 / 7021 / 56030 Information to substance / mixture:

Division: Technics

Phone: +49(0)7021 / 950090 E-mail: Technik@mixol.de

#### 1.4. Emergency telephone number

Emergency CONTACT (24 hours-Number) GBK GmbH +49/(0)6132/84463

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance / mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended):

Category of danger	Category Hazard Symbol	H-Phrases

Not a hazardous substance or mixture.

#### 2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended):

Not a hazardous substance or mixture.

Additional Labelling:

EUH 208 contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one

2-methyl-4-isothiazolin-3-one and

1,2-benzisothiazolin-3-one.

May produce an allergic reaction.

#### 2.3. Other hazards

No hazards to be specially mentioned.

#### **SECTION 3: COMPOSITION / INFORMATION TO INGREDIENTS**

#### 3.1. Mixtures

Chemical characterisation:

C.I. Pigment Green 17, Green 7, Yellow 42, Black 7 and Calciumcarbonat in aqueous dispersion, contenting Polyglykol- and 1,2-Propandiol.

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 2/10

Hazardous ingredients:

Alcohols, C16-18 and C18-unsaturated, ethoxylated (10-14 EO)

Concentration: >= 3,8 - < 7,1 % CAS number: 68920-66-1 EG number: 500-236-9

GHS classification EC:

Skin irritation Category 2 H315

C.I. Pigment Green 17

Concentration: >= 50 - < 70 % CAS number: 1308-38-9 EC number: 215-160-9

REACH - Registration no.

acc. to article 20(3): 01-2119433951-39-0000, 01-2119433951-39-0007,

01-2119433951-39-0020

Cetyltrimethyl ammonium chloride

Concentration: >= 0,1 - < 1 % CAS number: 112-02-7 EC number: 203-928-6

REACH-Registration no.

acc. to article 20(3): 01-2119970558-23-0000

GHS classification EC:

Acute toxicity	Category 4	H302
Acute toxicity	Category 3	H311
Skin corrosion	Category 1C	H314
Serious eye damage	Category 1	H318
Acute aquatic toxicity	Category 1	H400
Chronic aquatic toxicity Category 1		H410
M-Factor (Acute aquatic toxicity):		10

M-Factor (Acute aquatic toxicity):

M-Factor (Chronic aquatic toxicity):

10

Tetrasodium N-(3-carboxylato-1-oxo-3-sulphonatopropyl)-N-octadecyl-DL-aspartate

Concentration: >= 0,1 - < 1 % CAS number: 38916-42-6 EC number: 254-187-0

GHS classification EC:

Chronic aquatic toxicity Category 2 H411

Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecenyl-, tetrasodium salt

 Concentration:
 >= 0,1 - < 1 %</td>

 CAS number:
 81869-18-3

 EC number:
 617-265-9

**GHS** classification EC:

Chronic aquatic toxicity Category 2 H411

The text of H-phrases is shown in section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Discription of first aid measures

**General information:** 

Get medical advice / attention if you feel unwell.

After inhalation:

Move the victim to fresh air.

If you feel unwell, seek medical advice (show the label where possible).

After contact with skin:

In case of contact with skin, clean with plenty of soap and water.

## Tradename: MIXOL<sup>®</sup> No. 14 Oxyd-Grün (Oxide Green)

page 3/10

After contact with eyes:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion:

If swallowed, seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed symptoms

Symptoms:

None known.

Hazards:

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet

Dry powder

Carbon dioxide (CO<sub>2</sub>)

Alcohol resistant foam

Extinguishing media that must not be used for safety reasons:

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed:

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

#### 5.3. Advice for firefighters

Special protective equipment for firefighting:

Use self-contained breathing apparatus.

**Further information:** 

Wear suitable protective equipment.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable personal protective equipment.

#### 6.2. Environment precautions

The product should not be allowed to enter drains, water courses or the soil.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Treat recovered material as described in the section "Disposal considerations".

#### 6.4. Reference to other sections

Additional information:

Information regarding safe handling, see chapter 7.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Advice on safe handling:

When used and handled appropriately no special measures are needed.

#### MIXOL® No. 14 Oxyd-Grün (Oxide Green) **Tradename:**

page 4/10

Hygiene measures:

Wash hands before breaks and at the end of workday.

Use protective skin cream before handling the product.

Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place.

Handle and open container with care.

Keep away from flames and sparks.

Storage stability:

Minimum 36 months.

#### Specific end use(s) 7.3.

No further recommendations.

#### Section 8: Exposure controls / Personal Protection

#### 8.1. Control parameters

Exposure limit values:

Exposure limit values are not available.

**DNEL / DMEL-values:** 

C.I. Pigment Yellow 42

EC number: 257-098-5 CAS number: 51274-00-1

Route of	Personnel	Exposure time /	Value	Remarks
exposure		Effect		
Inhalation	Workers	Long-term	10 mg/m <sup>3</sup>	DNEL,
		local effects		inhalable dust
Inhalation	Workers	Long-term	3 mg/m <sup>3</sup>	DNEL,
		local effects		inhalable fraction
Inhalation	Workers	Long-term	10 mg/m <sup>3</sup>	
		systemic effects		

Cetyltrimethyl ammonium chloride

EC number: 203-928-6 112-02-7 CAS number:

Route of exposure	Personnel	Exposure time / Effect	Valeu	Remarks
Inhalation	Workers	Long-term systemic effects	3,32 mg/m <sup>3</sup>	DNEL
Dermal	Workers	Long-term systemic effects	4,7 mg/kg bw/day	DNEL
Inhalation	General population	Long-term systemic effects	0,98 mg/m <sup>3</sup>	DNEL
Dermal	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL
Oral	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 5/10

C.I. Pigment Green 17 EC number: 215-160-9 CAS number: 1308-38-9

Route of exposure	Personnel	Exposure time / Effect	Valeu	Remarks
Inhalation	Workers	Acute local effects	2 mg/m <sup>3</sup>	DNEL
Inhalation	Workers	Long-term local effects	0,5 mg/m <sup>3</sup>	DNEL

Dolomite

EC number: 240-440-2 CAS number: 16389-88-1

Route of exposure	Personnel	Exposure time / Effect	Valeu	Remarks
Inhalation	Workers	Long-term systemic effects	10 mg/m <sup>3</sup>	DNEL

PNEC-values:

Cetyltrimethyl ammonium chloride EC number: 203-928-6 CAS number: 112-02-7

Environmental compartment	Personnel /	Value
	Exposure time / Effect	
Fresh water		0,00068 mg/l
Salt water		0,000068 mg/l
Water (intermittente release)		0,0008 mg/l
Sewage treatment plant		0,4 mg/l
Fresh water sediment		9,27 mg/kg dry weight (d.w.)
Marine sediment		0,927 mg/kg dry weight (d.w.)
Soil		7 mg/kg dry weight (d.w.)

C.I. Pigment Green 17 EC number: 215-160-9 CAS number: 1308-38-9

Environmental compartment	Personnel / Exposure time / Effect	Value
Fresh water	chromium	0,0047 mg/l
Salt water	chromium	0,0047 mg/l
Water (intermittente release)	chromium	0,0047 mg/l
Sewage treatment plant		10 mg/l
Fresh water sediment	chromium	18,2 mg/kg dry weight (d.w.)
Marine sediment	chromium	1,31 mg/kg dry weight (d.w.)
Soil	chromium	3,2 mg/kg dry weight (d.w.)

#### 8.2. Exposure controls

General protective measures:

Wear suitable protective equipment.

Respiratory protection:

Yes, if TLV value is exceeded.

Hand protection:

Nitrile rubber

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Tradename: MIXOL<sup>®</sup> No. 14 Oxyd-Grün (Oxide Green) page 6/10

Eye protection: Safety glasses Body protection:

Wear suitable protective equipment.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Form: liquid
Colour: green

Odour:
Odour threshold:
pH value:
not measured
Melting point:
not applicable
approx. 100 °C
Flash point:

> 100 °C

Evaporation rate: not determined Flammability: not determined Lower explosion limit: not determined Upper explosive limit: not determined Combustion number: not applicable Minimum ignition energy: not determined Vapour pressure: not determined Vapour density relative to air: not determined

Relative Density: not determined no data available

Solubility in water: miscible

Octanol/ water partition

coefficient (log Pow): not determined Ignition temperature: not determined Thermal decomposition: > 100 °C

Viscosity (dynamic): not tested

Oxidizing properties: no data available

9.2. Other information

Density: 1,70 g/cm³ (20 °C)

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical Stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. Stable.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible Materials

No data available.

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 7/10

#### **SECTION 11: TOXICOLOGIC INFORMATION**

#### 11.1. Information on toxicological effects

Acute dermal toxicity: no data available

Acute oral toxicity: Acute toxicity estimate > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity: Acute toxicity estimate > 20 mg/l (4 h)

Method: Calculation method

Irritant effect on skin: No skin irritation (EPISKIN Human Skin Model Test)

Method: OECD Test Guideline 439

The toxicological data has been taken from products of

similar composition.

Irritant effect on eyes: No eye irritation (Bovine cornea)

Method: OECD Test Guideline 437

The toxicological data has been taken from products of

similar composition.

No eye irritation (rabbit eye) Method: OECD Test Guideline 405

The toxicological data has been taken from products of

similar composition.

Sensitization: no data available

Repeated dose toxicity: This information is not available.

Genetic toxicity in vitro: no data available

Assessment of mutagenicity: no information available Assessment of carcinogenicity: no information available Assessment of toxicity to reproduction: no information available

Specific target organ toxicity

(STOT) - single exposure: no data available

Specific target organ toxicity

(STOT) - repeated exposure: no data available Aspiration hazard: no data available

<u>Information related to the component:</u> <u>Cetyltrimethyl ammonium chloride:</u>

Acute dermal toxicity: LD50 ca. 528 mg/kg (Rabbit)

Method: OECD Test Guideline 402

By analogy with a product of similar composition.

Information related to the component: C.I. Pigment Green 17:

Acute inhalation toxicity: LC50 > 5,41 mg/l (4 h, Rat)

Method: OECD Test Guideline 403

Irritant effect on skin:

No skin irritation (Rabbit)

Method: OECD Test Guideline 404

Irritant effect on eyes: No eye irritation (Rabbit)

Method: OECD Test Guideline 405

Sensitization: non-sensitizing (Guinea pig)

Method: OECD Test Guideline 406

Repeated dose toxicity: Route of application: Oral

NOAEL: 2.000 mg/kg (Rat) Route of application: Inhalation LOAEL: 0,044 mg/l (Rat)

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 8/10

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity:

Information related to the product itself:

Fish toxicity:

Pish toxicity (chronic):

Daphnia toxicity:

Algae toxicity:

Daphnia toxicity:

Algae toxicity:

Daphnia toxic

Information related to the component: C.I. Pigment Green 17

Fish toxicity: LC50 > 10.000 mg/l (Danio rerio (zebra fish))

Method: ISO 7346/1

Algae toxicity: 0,47 mg/l (Desmodesmus subspicatus (green algae))

Method: OECD Test Guideline 201

12.2. Persistence and degradability

Information related to the product itself:

Biodegradability: no data available

12.3. Bioaccumulative potential

Information related to the product itself:

Bioaccumulation: no data available

<u>Information related to the component:</u> C.I. Pigment Green 17
Bioaccumulation: Bioaccumulation is unlikely.

12.4. Mobility in soil

Information related to the product itself:

Behaviour in environmental

compartments: no data available

Information related to the component: C.I. Pigment Green 17

Transport and distribution between

environmental compartments: no data available

#### 12.5. Results of PBT and vPvB assessment

Information related to the product itself:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0,1 % or higher.

12.6. Other adverse effects

Information related to the product itself:

Additional ecotoxicological remarks: no data available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product:

Dispose of in accordance with the European Directives on waste and hazardous waste.

Uncleaned packaging:

This material and its container must be disposed of in a safe way.

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1. to 14.5.

ADR: not restricted
ADN: not restricted
RID: not restricted

Tradename: MIXOL® No. 14 Oxyd-Grün (Oxide Green) page 9/10

IATA: not restricted IMDG: not restricted

#### 14.6. Special precautions for users

See sections 6 to 8 of this Safety Data Sheet.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport as bulk according IBC-Code.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

### 15.2. Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

#### **SECTION 16: OTHER INFORMATION**

Observe the legal requirements nationally and locally.

#### List of the text of the hazard statements mentioned section 3 (H-phrases):

H302
Harmful if swallowed.
H311
Toxic in contact with skin.
H314
Causes severe skin burns and eye damage.
H315
Causes skin irritation.
H318
Causes serious eye damage.
H400
Very toxic to aquatic life.
H410
Very toxic to aquatic life with long lasting effects.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### Change compared to the previous version:

Change in the composition

Legend
--------

ADN European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous

Goods by Road

AOX Adsorbable organic bound halogens

CAS Chemical Abstracts Service

DMEL Derived Minimal Effect Level (genotoxic substances)

DNEL Derived No Effect Level

EC50 Half maximal effective concentration

GHS Globally Harmonized System

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No Observed Adverse Effect Concentration

NOAEL
NO Observed Adverse Effect Level
NOEC
Non Observed Effect Concentration
OEL
Occupational Exposure Limit
PBT
Persistent, Bioaccumulative, Toxic
PEC
Predicted Environmental Concentration
PNEC
Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

#### **Safety Data Sheet**

in acc. with Regulation (EU) No. 453/2010 Revision Date: 08.10.2015 Replace Vers. 06.07.2012

Tradename:	MIXOL <sup>®</sup> No. 14	Oxyd-Grün	(Oxide Green)	page 10/10
RID SVHC vPvB	Substances of \	ıle for Transport c Very High Concer and very Bioaccu		ces by Railway

Decimal notation: "thousands" places are identified with a dot (for example, "2.000 mg/kg" means "two thousand mg/kg"). Decimal places are identified with a comma (for example, "1,35 g/cm<sup>3</sup>" means "one point three five g/cm<sup>3</sup>").

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. MIXOL-PRODUKTE Diebold GmbH makes no warranties, express or implied, as to the information accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of MIXOL products for its particular application. Nothing included in this information waives any of MIXOL's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.

Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing MIXOL products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

For additional information, please contact MIXOL-PRODUKTE Diebold GmbH.