SAFETY DATA SHEET

ХП

in acc. with Regulation (EU) No. 453/2010

Revision Date: 09.10.2015 Replace Vers. 06.07.2012

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page1/9

SECTION 1: IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. **Product identifier**

MIXOL® No. 23 Oxyd-Dunkelbaun (Oxide Dark Brown) Tradename:

Relevant identified uses of the substance or mixture and uses advised again 1.2.

Relevant identified uses of the substance or mixture: Industry sector: Industrial Performance Chemicals Paints, lacquers and varnishes industry Polymers industry Printing Inks Industry

Type of use: Colourant preparation

1.3. Details of the supplier of the safety data sheet

Identification of the company: MIXOL-PRODUKTE Diebold GmbH Carl-Zeiss-Str. 17-19 73230 Kirchheim/Teck Phone: 0049 / 7021 / 950090 Fax. 0049 / 7021 / 56030

Information to substance / mixture: **Division:** Technics Phone: +49(0)7021 / 950090 E-mail: Technik@mixol.de

1.4. **Emergency telephone number**

Emergency CONTACT (24 hours-Number) GBK GmbH +49/(0)6132/84463

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance / mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended):

Category of danger	Category Hazard Symbol	H-Phrases

Not a hazardous substance or mixture.

2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended): Not a hazardous substance or mixture.

Additional Labelling:

5-chloro-2-methyl-4-isothiazolin-3-one EUH 208 contains mixture of: 2-methyl-4-isothiazolin-3-one and 1.2-benzisothiazolin-3-one.

May produce an allergic reaction.

2.3. Other hazards

No hazards to be specially mentioned.

SECTION 3: COMPOSITION / INFORMATION TO INGREDIENTS

3.1. **Mixtures**

Chemical characterisation:

C.I. Pigment Yellow 42, Red 101, Black 26 and Calciumcarbonat in aqueous dispersion, contenting Polyglykol- and 1,2-Propandiol.

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 2/9

Hazardous ingredients:			
Alcohols, C16-18 and C18-unsaturated, ethoxylated (10-14 EO)			
Concentration: CAS number:	>= 4,1 - < 8,3 %		
EG number:	68920-66-1 500-236-9		
	500	J-230-9	
GHS classification EC:			
Skin irritation		Category 2	H315
Cetyltrimethyl ammonium	chl	oride	
Concentration:		0,1 - < 1 %	
CAS number:	112	2-02-7	
EC number:	203	3-928-6	
REACH-Registration no.			
acc. to article 20(3):	01-	2119970558-23-0000	
GHS classification EC:			
Acute toxicity		Category 4	H302
Acute toxicity		Category 3	H311
Skin corrosion		Category 1C	H314
Serious eye damage		Category 1	H318
Acute aquatic toxicity		Category 1	H400
Chronic aquatic toxicity		Category 1	H410
M-Factor (Acute aquatic toxicity) : 10		10	
M-Factor (Chronic aquatic toxicity) :			1
· · · ·		-1-oxo-3-sulphonatopropyl)-N-octad	ecvi-Di -aspartate
Concentration:		0,1 - < 1 %	
CAS number:		916-42-6	
EC number:		4-187-0	
GHS classification EC:			
Chronic aquatic toxicity		Category 2	H411
Aspartic acid N-(3-carbox	v-1-	oxo-3-sulfopropyl)-N-octadecenyl-,	tetrasodium salt
Concentration:		0,1 - < 1 %	
CAS number:		369-18-3	
EC number:		7-265-9	
GHS classification EC:			
Chronic aquatic toxicity		Category 2	H411
The text of H-phrases is sho	wn		

SECTION 4: FIRST AID MEASURES

4.1. Discription of first aid measures

General information:

Get medical advice / attention if you feel unwell.

After inhalation:

Move the victim to fresh air.

If you feel unwell, seek medical advice (show the label where possible).

After contact with skin:

In case of contact with skin, clean with plenty of soap and water.

After contact with eyes:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion:

If swallowed, seek medical advice immediately and show this container or label.

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 3/9

- 4.2. Most important symptoms and effects, both acute and delayed symptoms
 - <u>Symptoms:</u> None known. <u>Hazards:</u> None known.
- 4.3. Indication of any immediate medical attention and special treatment needed
 - Treatment:

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water spray jet Dry powder Carbon dioxide (CO₂) Alcohol resistant foam

Extinguishing media that must not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed: Carbon oxides Nitrogen oxides (NO_x)

5.3. Advice for firefighters

<u>Special protective equipment for firefighting:</u> Use self-contained breathing apparatus.

<u>Further information:</u> Wear suitable protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures Wear suitable personal protective equipment.
- **6.2.** Environment precautions The product should not be allowed to enter drains, water courses or the soil.
- 6.3. Methods and material for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Treat recovered material as described in the section "Disposal considerations".
- 6.4. Reference to other sections
 <u>Additional information:</u>
 Information regarding safe handling, see chapter 7.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling: When used and handled appropriately no special measures are needed.

<u>Hygiene measures:</u> Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 4/9

7.2. Conditions for safe storage, including any incompatibilities <u>Further information on storage conditions:</u> Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Keep away from flames and sparks. Storage stability:

Minimum 36 months.

7.3. Specific end use(s)

No further recommendations.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values: Exposure limit values are not available.

DNEL / DMEL-values:

C.I. Pigment Yellow 42 EC number: 257-098-5 CAS number: 51274-00-1

Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term local effects	10 mg/m ³	DNEL, inhalable dust
Inhalation	Workers	Long-term local effects	3 mg/m ³	DNEL, inhalable fraction
Inhalation	Workers	Long-term systemic effects	10 mg/m ³	

Cetyltrimethyl ammonium chloride EC number: 203-928-6 CAS number: 112-02-7

Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term systemic effects	3,32 mg/m ³	DNEL
Dermal	Workers	Long-term systemic effects	4,7 mg/kg bw/day	DNEL
Inhalation	General population	Long-term systemic effects	0,98 mg/m ³	DNEL
Dermal	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL
Oral	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL

Iron(III)oxide

EC number: 215-168-2 CAS number : 1309-37-1

Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term local effects	10 mg/m ³	DNEL, inhalable dust
Inhalation	Workers	Long-term local effects	3 mg/m ³	DNEL, inhalable fraction

PNEC-values: Cetyltrimethyl ammonium chloride EC number: 203-928-6 CAS number: 112-02-7

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 5/9

Environmental compartment	Personnel / Exposure time / Effect	Value
Fresh water		0,00068 mg/l
Salt water		0,000068 mg/l
Water (intermittente release)		0,0008 mg/l
Sewage treatment plant		0,4 mg/l
Fresh water sediment		9,27 mg/kg dry weight (d.w.)
Marine sediment		0,927 mg/kg dry weight (d.w.)
Soil		7 mg/kg dry weight (d.w.)

8.2. Exposure controls

Appropriate engineering controls:

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

General protective measures:

Wear suitable protective equipment.

Respiratory protection:

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection:

Nitrile rubber

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection:

Safety glasses

Body protection:

Wear suitable protective equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Form:	liquid
Colour:	brown
Odour:	not significant
Odour threshold:	not required
pH value:	not measured
Melting point:	not applicable
Boiling point:	approx. 100 °C
Flash point:	> 100 °C
Evaporation rate:	not determined
Flammability:	not determined
Lower explosion limit:	not determined
Upper explosive limit:	not determined
Combustion number:	not applicable
Minimum ignition energy:	not determined
Vapour pressure:	not determined
Vapour density relative to air:	not determined
Relative Density:	no data available
Solubility in water:	miscible
Octanol/ water partition	
coefficient (log Pow):	not determined
Ignition temperature:	not determined
Thermal decomposition:	> 100 °C
Viscosity (dynamic):	not tested
Oxidizing properties:	no data available

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 6/9

9.2. Other information Density:

1,92 g/cm3 (20 °C)

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity** No dangerous reaction known under conditions of normal use.
- **10.2. Chemical Stability** Stable under normal conditions.
- **10.3.** Possibility of hazardous reactions No dangerous reaction known under conditions of normal use. Stable.
- **10.4.** Conditions to avoid None known.
- **10.5.** Incompatible Materials No data available.
- **10.6. Hazardous decomposition products** No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGIC INFORMATION

11.1. Information on toxicological effects Acute oral toxicity: no data available Acute dermal toxicity: Acute toxicity estimate > 2.000 mg/kg Method: Calculation method Acute inhalation toxicity: no data available No skin irritation (EPISKIN Human Skin Model Test) Irritant effect on skin: Method: OECD Test Guideline 439 The toxicological data has been taken from products of similar composition. No eye irritation (Bovine cornea) Irritant effect on eyes: Method: OECD Test Guideline 437 The toxicological data has been taken from products of similar composition. No eye irritation (rabbit eye) Method: OECD Test Guideline 405 The toxicological data has been taken from products of similar composition. Sensitization: no data available Repeated dose toxicity: This information is not available. Genetic toxicity in vitro: no data available Assessment of mutagenicity: no information available Assessment of carcinogenicity: no information available Assessment of toxicity to reproduction: no information available Specific target organ toxicity (STOT) - single exposure: no data available Specific target organ toxicity (STOT) - repeated exposure: no data available Aspiration hazard: no data available Information related to the component: Cetyltrimethyl ammonium chloride: LD50 ca. 528 mg/kg (Rabbit) Acute dermal toxicity: Method: OECD Test Guideline 402 By analogy with a product of similar composition.

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 7/9

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity: Information related to the product itself: Fish toxicity: no data available Fish toxicity (chronic): no data available Daphnia toxicity: no data available Algae toxicity: no data available no data available Bacteria toxicity: 12.2. Persistence and degradability Information related to the product itself: **Biodegradability:** no data available 12.3. Bioaccumulative potential Information related to the product itself: Bioaccumulation: no data available 12.4. Mobility in soil Information related to the product itself: Behaviour in environmental no data available compartments: 12.5. Results of PBT and vPvB assessment Information related to the product itself:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0,1 % or higher.

12.6. Other adverse effects

Information related to the product itself: Additional ecotoxicological remarks: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product:

Dispose of in accordance with the European Directives on waste and hazardous waste.

Uncleaned packaging:

This material and its container must be disposed of in a safe way.

SECTION 14: TRANSPORT INFORMATION

14.1. to 14.5.

ADR:	not restricted
ADN:	not restricted
RID:	not restricted
IATA:	not restricted
IMDG:	not restricted

14.6. Special precautions for users

See sections 6 to 8 of this Safety Data Sheet.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport as bulk according IBC-Code.

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 8/9

SECTION 15: REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

15.2. Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

SECTION 16: OTHER INFORMATION

Observe the legal requirements nationally and locally.

List of the text of the hazard statements mentioned section 3 (H-phrases) :

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Change compared to the previous version:

Change in the composition

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
European Agreement concerning the International Carriage of Dangerous Goods by Road
Adsorbable organic bound halogens
Chemical Abstracts Service
Derived Minimal Effect Level (genotoxic substances)
Derived No Effect Level
Half maximal effective concentration
Globally Harmonized System
International Air Transport Association
International Maritime Dangerous Goods
Lethal Concentration 50 %
Lethal Dose 50 %
International Convention for the Prevention of Pollution From Ships
No Observed Adverse Effect Concentration
No Observed Adverse Effect Level
Non Observed Effect Concentration
Occupational Exposure Limit
Persistent, Bioaccumulative, Toxic
Predicted Environmental Concentration
Predicted No Effect Concentration
Registration, Evaluation, Authorisation and Restriction of Chemicals
International Rule for Transport of Dangerous Substances by Railway
Substances of Very High Concern
very Persistent and very Bioaccumulative

Tradename: MIXOL[®] No. 23 Oxyd-Dunkelbraun (Oxide Dark Brown) page 9/9

Decimal notation: "thousands" places are identified with a dot (for example, "2.000 mg/kg" means "two thousand mg/kg"). Decimal places are identified with a comma (for example, "1,35 g/cm³" means "one point three five g/cm³").

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. MIXOL-PRODUKTE Diebold GmbH makes no warranties, express or implied, as to the information accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of MIXOL products for its particular application. Nothing included in this information waives any of MIXOL's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.

Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing MIXOL products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

For additional information, please contact MIXOL-PRODUKTE Diebold GmbH.