# SAFETY DATA SHEET

in acc. with Regulation (EU) No. 453/2010 Revision Date: 09.10.2015 Replace Vers. 06.07.2012

## Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White) page1/8

## SECTION 1: IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1. Product identifier

Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

# **1.2.** Relevant identified uses of the substance or mixture and uses advised again Relevant identified uses of the substance or mixture:

 Relevant identified uses of the substance or mixture:

 Industry sector:
 Industrial Performance Chemicals

 Paints, lacquers and varnishes industry

 Polymers industry

 Printing Inks Industry

Type of use: Colourant preparation

### 1.3. Details of the supplier of the safety data sheet

Identification of the company: MIXOL-PRODUKTE Diebold GmbH Carl-Zeiss-Str. 17-19 73230 Kirchheim/Teck Phone: 0049 / 7021 / 950090 Fax: 0049 / 7021 / 56030

Information to substance / mixture: Division: Technics Phone: +49(0)7021 / 950090 E-mail: Technik@mixol.de

#### 1.4. Emergency telephone number

Emergency CONTACT (24 hours-Number) GBK GmbH +49/(0)6132/84463

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance / mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended):

Category of danger	Category Hazard Symbol	H-Phrases

Not a hazardous substance or mixture.

#### 2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended): Not a hazardous substance or mixture.

#### Additional Labelling:

EUH 208 contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one 2-methyl-4-isothiazolin-3-one and 1.2-benzisothiazolin-3-one.

May produce an allergic reaction.

#### 2.3. Other hazards

No hazards to be specially mentioned.

### SECTION 3: COMPOSITION / INFORMATION TO INGREDIENTS

#### 3.1. Mixtures

Chemical characterisation:

Titanium Dioxide and Calciumcarbonat in aqueous dispersion, contenting Polyglykol- and 1,2-Propandiol.

contenting Polyglykol- and 1,2-Propandiol.

page 2/8

## Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

	saturated, ethoxylated (10-14 EO) - 5,3 - < 12,6 %			
CAS number: 68	68920-66-1			
EG number: 500-236-9				
GHS classification EC:				
Skin irritation	Category 2	H315		
Cetyltrimethyl ammonium ch	loride			
	= 0,1 - < 1 %			
CAS number: 11	2-02-7			
EC number: 20	3-928-6			
REACH-Registration no.				
acc. to article 20(3): 01-2119970558-23-0000				
GHS classification EC:				
Acute toxicity	Category 4	H302		
Acute toxicity	Category 3	H311		
Skin corrosion	Category 1C	H314		
Serious eye damage	Category 1	H318		
Acute aquatic toxicity	Category 1	H400		
Chronic aquatic toxicity	Category 1	H410		
M-Factor (Acute aquatic toxicity) : 10				
M-Factor (Chronic aquatic toxicity) : 1				

The text of H-phrases is shown in section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Discription of first aid measures

#### General information:

Get medical advice / attention if you feel unwell.

#### After inhalation:

Move the victim to fresh air.

If you feel unwell, seek medical advice (show the label where possible).

After contact with skin:

In case of contact with skin, clean with plenty of soap and water.

After contact with eyes:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

<u>After ingestion:</u> If swallowed, seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed symptoms

Symptoms:

None known.

<u>Hazards:</u> None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed <u>Treatment:</u>

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet Dry powder

page 3/8

## Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

Carbon dioxide (CO<sub>2</sub>) Alcohol resistant foam Extinguishing media that must not be used for safety reasons: High volume water jet

#### 5.2. Special hazards arising from the substance or mixture In case of fires, hazardous combustion gases are formed: Carbon oxides Nitrogen oxides (NO<sub>x</sub>)

5.3. Advice for firefighters
<u>Special protective equipment for firefighting:</u>
Use self-contained breathing apparatus.
<u>Further information:</u>
Wear suitable protective equipment.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures Wear suitable personal protective equipment.
- **6.2.** Environment precautions The product should not be allowed to enter drains, water courses or the soil.
- 6.3. Methods and material for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Treat recovered material as described in the section "Disposal considerations".
- 6.4. Reference to other sections <u>Additional information:</u> Information regarding safe handling, see chapter 7.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling Advice on safe handling:

When used and handled appropriately no special measures are needed.

<u>Hygiene measures:</u> Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

### 7.2. Conditions for safe storage, including any incompatibilities

<u>Further information on storage conditions:</u> Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Keep away from flames and sparks.

Storage stability: Minimum 36 months.

**7.3.** Specific end use(s) No further recommendations.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters <u>Exposure limit values:</u> Exposure limit values are not available.

DNEL / DMEL-va C.I. Pigment Whi EC number: CAS number:				
Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term local effects	10 mg/m <sup>3</sup>	DNEL
Oral	Consumers	Long-term systmic effects	700 mg/kg bw/day	DNEL
Cetyltrimethyl an EC number: CAS number:	nmonium chlorid 203-928-6 112-02-7	de		
Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term systemic effects	3,32 mg/m <sup>3</sup>	DNEL
Dermal	Workers	Long-term systemic effects	4,7 mg/kg bw/day	DNEL
Inhalation	General population	Long-term systemic effects	0,98 mg/m <sup>3</sup>	DNEL
Dermal	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL
Oral	Conorol	1	0.00	
PNEC-values:	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta	population ite 6 236-675-5 13463-67-7	systemic effects Personnel /	bw/day	DNEL
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment	population ite 6 236-675-5 13463-67-7	systemic effects	bw/day Value	
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water	population ite 6 236-675-5 13463-67-7	systemic effects Personnel /	bw/day Value ct 0,127 m	g/I
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water se	population ite 6 236-675-5 13463-67-7	systemic effects Personnel /	bw/day Value 0,127 m 1000 m	g/l g/kg dry weight (d.w
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water se Marine water	population ite 6 236-675-5 13463-67-7 I diment	systemic effects Personnel /	bw/day Value oct 0,127 m 1000 m 1 m	g/l g/kg dry weight (d.w g/l
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water se	population ite 6 236-675-5 13463-67-7 I diment	systemic effects Personnel /	bw/day Value ot 0,127 m 1000 m 1 m 100 m	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water se Marine water Marine sedime	population ite 6 236-675-5 13463-67-7 I diment	systemic effects Personnel /	bw/day Value ot 0,127 m 1000 m 1 m 100 m	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water se Marine water Marine sedime Soil	population ite 6 236-675-5 13463-67-7 I diment nt ent plant	systemic effects Personnel /	bw/day Value 0,127 m 0,127 m 1000 m 100 m 100 m	g/l g/kg dry weight (d.v g/l g/kg dry weight (d.v g/kg dry weight (d.v g/l
PNEC-values: C.I. Pigment Whi EC number: CAS number : Environmenta compartment Fresh water Fresh water Fresh water see Marine water Marine sedime Soil Sewage treatm	population ite 6 236-675-5 13463-67-7 I diment nt ent plant tent release)	Systemic effects Personnel / Exposure time / Effe	bw/day Value ot 0,127 m 0,127 m 1000 m 100 m 100 m 100 m	g/l g/kg dry weight (d.v g/l g/kg dry weight (d.v g/kg dry weight (d.v g/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water set         Marine water         Marine sedimet         Soil         Sewage treatm         Water (intermitt)         Cetyltrimethyl an         EC number:         CAS number:         Environmenta         compartment	population           ite 6           236-675-5           13463-67-7           I           diment           nt           ent plant           tent release)           nmonium chloric           203-928-6           112-02-7	Systemic effects Personnel / Exposure time / Effe	bw/day value 0,127 m 0,127 m 1000 m 100 m 100 m 0,61 m Value value	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w g/l g/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water see         Marine water         Marine sedime         Soil         Sewage treatm         Water (intermitt)         Cetyltrimethyl an         EC number:         CAS number:         Environmenta         compartment         Fresh water	population           ite 6           236-675-5           13463-67-7           I           diment           nt           ent plant           tent release)           nmonium chloric           203-928-6           112-02-7	Personnel / Exposure time / Effe	bw/day bw/day value 0,127 m 0,127 m 1000 m 100 m 100 m 0,61 m Value value 0,000	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w g/l g/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water set         Marine water         Marine sedimet         Soil         Sewage treatm         Water (intermitt)         Cetyltrimethyl am         EC number:         CAS number:         CAS number:         Fresh water         Sil water	population ite 6 236-675-5 13463-67-7 I diment nt ent plant tent release) nmonium chlorio 203-928-6 112-02-7 I	Personnel / Exposure time / Effe	bw/day bw/day value 0,127 m 1000 m 100 m 100 m 0,61 m 0,61 m Value ct 0,000 0,0000	g/l g/kg dry weight (d.v g/l g/kg dry weight (d.v g/kg dry weight (d.v g/l g/l g/l 968 mg/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water see         Marine water         Marine sedime         Soil         Sewage treatm         Water (intermitt         Cetyltrimethyl an         EC number:         CAS number:         CAS number:         Fresh water         Salt water         Water (intermitt)	population ite 6 236-675-5 13463-67-7 I diment diment ent plant tent release) monium chlorio 203-928-6 112-02-7 I tente release)	Personnel / Exposure time / Effe	bw/day bw/day value 0,127 m 1000 m 100 m 100 m 0,61 m 0,61 m Value ct 0,000 0,000 0,000	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w g/l g/l g/l 068 mg/l 068 mg/l 008 mg/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water se         Marine water         Marine sedime         Soil         Sewage treatm         Water (intermitt)         Cetyltrimethyl am         EC number:         CAS number:         Environmenta         compartment         Fresh water         Salt water         Water (intermitt)         Sewage treatm	population ite 6 236-675-5 13463-67-7 I diment diment ent plant tent release) nmonium chloric 203-928-6 112-02-7 I tente release) ent plant	Personnel / Exposure time / Effe	bw/day bw/day Value 0,127 m 1000 m 100 m 100 m 0,61 m 0,61 m Value ct 0,000 0,000 0,000	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w g/l g/l g/l 068 mg/l 068 mg/l 008 mg/l 0,4 mg/l
PNEC-values:         C.I. Pigment Whi         EC number:         CAS number :         Environmenta         compartment         Fresh water         Fresh water see         Marine water         Marine sedime         Soil         Sewage treatm         Water (intermitt         Cetyltrimethyl an         EC number:         CAS number:         CAS number:         Fresh water         Salt water         Water (intermitt)	population ite 6 236-675-5 13463-67-7 I diment diment ent plant tent release) monium chloric 203-928-6 112-02-7 I tente release) ent plant diment	Personnel / Exposure time / Effe	bw/day           bw/day           0,127 m           0,127 m           1000 m           1 m           100 m           100 m           100 m           0,61 m           0,61 m           0,000           0,000           0,000           0,000           0,000           0,000           0,27 mg/	g/l g/kg dry weight (d.w g/l g/kg dry weight (d.w g/kg dry weight (d.w g/l g/l g/l 068 mg/l 168 mg/l 108 mg/l

Appropriate engineering controls:

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

## Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

page 5/8

#### <u>General protective measures:</u> Wear suitable protective equipment.

<u>Respiratory protection:</u> When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection:

Nitrile rubber

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection: Safety glasses

Body protection: Wear suitable protective equipment.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties 9.1. Physical state: liquid Form: liquid Colour: white Odour: not significant Odour threshold: not required pH value: not measured Melting point: not applicable Boiling point: approx. 100 °C > 100 °C Flash point: Evaporation rate: not determined Flammability: not determined Lower explosion limit: not determined Upper explosive limit: not determined Combustion number: not applicable Minimum ignition energy: not determined Vapour pressure: not determined Vapour density relative to air: not determined **Relative Density:** no data available Solubility in water: miscible Octanol/ water partition coefficient (log Pow): not determined Ignition temperature: not determined Thermal decomposition: > 100 °C Viscosity (dynamic): not tested Oxidizing properties: no data available Other information 9.2. Density: 1,83 g/cm3 (20 °C)

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical Stability

Stable under normal conditions.

#### MIXOL<sup>®</sup> No. 25 Oxvd-Weiss (Oxide White) **Tradename:**

bage 6/8

Tradena	ime:	MIXOL®	No. 25	Oxyd-Weiss	(Oxide White)	page 6/8
10.3.		-	ous reaction h known unde	<b>s</b> r conditions of n	ormal use.	
10.4.	Condition	<b>ns to avoid</b> wn.				
10.5.	<b>Incompat</b> No data a	t <b>ible Materia</b> vailable.	ls			
10.6.		-	sition produce ored and app	<b>cts</b> lied as directed.		
SECTION	11: Toxic	COLOGIC INI	FORMATION			
11.1.	Informati	on on toxico	ological effect	cts		
	Acute ora		U	no data ava	ilable	
	Acute der	mal toxicity:			ty estimate > 2.000 mg/kg lculation method	)
	Acute inha	alation toxicit	y:	no data ava	ilable	
	Irritant eff	ect on skin:		Method: OE	ation (EPISKIN Human SI CD Test Guideline 439 ogical data has been taken position.	
	Irritant eff	ect on eyes:		Method: OE The toxicolo similar com No eye irrita Method: OE	ition (rabbit eye) CD Test Guideline 405 igical data has been takei	
	Sensitizat	ion:		no data ava	ilable	
	Repeated	dose toxicity	/:	This informa	ation is not available.	
	Genetic to	oxicity in vitro	:	no data ava	ilable	
	Assessme	ent of mutage	enicity:	no informati	on available	
	Assessme	ent of carcino	genicity:	no informati	on available	
	Assessme	ent of toxicity	to reproducti	on: no informati	on available	
	· (STC	arget organ to )T) - single ex	xposure:	no data ava	ilable	
		arget organ to )T) - repeated		no data ava	ilable	
	Aspiration	<i>'</i>	a onposure.	no data ava		

Information related to the component: Cetyltrimethyl ammonium chloride: Acute dermal toxicity: LD50 ca. 528 mg/kg (Rabbit) Method: OECD Test Guideline 402 By analogy with a product of similar composition.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity:

Information related to the product itself:	
Fish toxicity:	no data available
Fish toxicity (chronic):	no data available
Daphnia toxicity:	no data available
Algae toxicity:	no data available
Bacteria toxicity:	no data available

page 7/8

## Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

12.2.	<b>Persistence and degradability</b> Information related to the product itself: Biodegradability:	no data available
12.3.	<b>Bioaccumulative potential</b> Information related to the product itself: Bioaccumulation:	no data available
12.4.	Mobility in soil Information related to the product itself: Behaviour in environmental compartments:	no data available
12.5.		
12.6.	Other adverse effects Information related to the product itself: Additional ecotoxicological remarks:	no data available

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<u>Product:</u> Dispose of in accordance with the European Directives on waste and hazardous waste. <u>Uncleaned packaging:</u> This material and its container must be disposed of in a safe way.

## **SECTION 14: TRANSPORT INFORMATION**

14.1. to 14.5.

ADR:	not restricted
ADN:	not restricted
RID:	not restricted
IATA:	not restricted
IMDG:	not restricted

- 14.6. Special precautions for users See sections 6 to 8 of this Safety Data Sheet.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport as bulk according IBC-Code.

## SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

## 15.2. Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

in acc. with Regulation (EU) No. 453/2010

page 8/8

Tradename: MIXOL<sup>®</sup> No. 25 Oxyd-Weiss (Oxide White)

### SECTION 16: OTHER INFORMATION

Observe the legal requirements nationally and locally.

### List of the text of the hazard statements mentioned section 3 (H-phrases) :

- H302 Harmful if swallowed.
  H311 Toxic in contact with skin.
  H314 Causes severe skin burns and eye damage.
  H315 Causes skin irritation.
  H318 Causes serious eye damage.
  H400 Verv toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

#### Change compared to the previous version:

Change in the composition

Legend	
ADN	European Agreement concerning the International Carriage of Dangerous
	Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous
	Goods by Road
AOX	Adsorbable organic bound halogens
CAS	Chemical Abstracts Service
DMEL	Derived Minimal Effect Level (genotoxic substances)
DNEL	Derived No Effect Level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOEC	Non Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative, Toxic
PEC	Predicted Environmental Concentration
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	International Rule for Transport of Dangerous Substances by Railway
SVHC	Substances of Very High Concern
vPvB	very Persistent and very Bioaccumulative

Decimal notation: "thousands" places are identified with a dot (for example, "2.000 mg/kg" means "two thousand mg/kg"). Decimal places are identified with a comma (for example, "1,35 g/cm<sup>3</sup>" means "one point three five g/cm<sup>3</sup>").

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. MIXOL-PRODUKTE Diebold GmbH makes no warranties, express or implied, as to the information accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of MIXOL products for its particular application. Nothing included in this information waives any of MIXOL's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.

Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing MIXOL products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

For additional information, please contact MIXOL-PRODUKTE Diebold GmbH.