



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name GOLDFINGER COLOURS

Supplier

DALER-ROWNEY LTD, PEACOCK LANE, BRACKNELL, RG12 8SS, ENGLAND.

Emergency tel: +44 (0) 1344 461000/ fax: +44 (0) 1344 486511

E-mail contact: tom.stagles@daler-rowney.com

Product No. 145 Application GOLDFINGER

2. HAZARDS IDENTIFICATION

Classification: European Dangerous Substances Directive (No. 67/548/EEC) and Dangerous Preparations Directive (No. 1999/45/EC). N;R51/53.R10,R65,R66.

Flammable. Repeated exposure may cause skin dryness or cracking. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No	Cas. No	Content	Classification (67/548)
C9 – 12 ISOALKANES	292-459-0	90622-57-4	15 -17 %	Xn,R65,R53,R66
WHITE SPITIT	265-185-4	64742-82-1	30 %	Xn;R65. N;R51/53. R10,R66.

The Full Text for all R-Phrases are Displayed in Section 16

4. FIRST-AID MEASURES

General Information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and fresh air. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

Ingestion

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention immediately! Drink plenty of water. Provide rest, warmth and fresh air.

Skin Contact

Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Fire can be extinguished using: Dry chemicals, sand, dolomite etc.

SAFETY DATA SHEET **DALER ♦ ROWNEY**GOLDFINGER COLOURS



Special Fire Fighting Procedures

Avoid breathing fire vapours. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup Methods

Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer

7. HANDLING AND STORAGE

Usage Precautions Usage

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

Storage Precautions

Store in tightly closed original container in a dry and cool place

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hours		STEL 15-min		Notes
WHITE SPITIT	OES	25ppm	145mg/m3	125ppm	790mg/m3	

Protective Equipment





Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand Protection

Use protective gloves.

Eye Protection

Wear approved safety goggles.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Paste

Colour Metallic Colours

SAFETY DATA SHEET



DALER ♦ **ROWNEY**

GOLDFINGER COLOURS

Odour White Spirit

Solubility Insoluble in water

Relative Density 2.00 **Volatile by Vol.(%)** 55

Flash Point (°C) 41 CC (Closed cup).

Flammability Limit - Lower (%) 0.60 Solubility Value <0.1

Vapour Pressure 2.00 mm Hg 20

Viscosity 80 s 23
Auto Ignition >250
Flammability Limit - Upper (%) 8.0

10. STABILITY AND REACTIVITY

Stability

Stable under normal temperature conditions

Conditions to Avoid

Avoid contact with acids and oxidising substances

Hazardous Decomposition Products

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Inhalation

Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion

Liquid irritates mucous membranes and may cause abdominal pain if swallowed

Skin Contact

Acts as a defatting agent on skin. May cause cracking of skin, and eczema. Prolonged or repeated exposure may cause severe irritation. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals after repeated contact.

Eye Contact

May cause severe irritation to eyes.

Target Organs

Skin. Eyes. Respiratory system, lungs.

12 . ECOLOGICAL INFORMATION

Mobility: Partly volatile

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION



SAFETY DATA SHEET DALER ♦ ROWNEY GOLDFINGER COLOURS



PROPER SHIPPING NAME	PAINT RELATED MATERIAL	ADR CLASS NO.	3
UN NO. ROAD	1263	ADR PACK GROUP	III
ADR CLASS	Class 3: Flammable liquids.	RID CLASS NO.	3
HAZCHEM CODE	3Y	UN NO. SEA	1263
RID PACK GROUP	III	IMDG PACK GR.	III
IMDG CLASS	3	MFAG	310
EMS	3-05	UN NO. AIR	1263
MARINE POLLUTANT			
AIR CLASS	3		
AIR PACK GR.	III		

15. REGULATORY INFORMATION

Labelling



Risk Phrases

R10 Flammable.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R66 Repeated exposure may cause skin dryness or cracking

Contains: White Spirit

Safety Phrases

S2 Keep out of the reach of children

S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

S37 Wear suitable gloves

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

Issue Date: January 2011

SAFETY DATA SHEET **DALER ◆ ROWNEY**GOLDFINGER COLOURS



EU Directives

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

16. OTHER INFORMATION

Date: January 2011

Risk Phrases in Full

R10 Flammable.

R65 Harmful: may cause lung damage if swallowed R36/37/38 Irritating to eyes, respiratory system and skin

R43 May cause sensitisation by skin contact.

R66 Repeated exposure may cause skin dryness or cracking.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50 Very toxic to aquatic organisms.

Issue Date: January 2011

SAFETY DATA SHEET



DALER ♦ **ROWNEY**

GOLDFINGER COLOURS

indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.